

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 503 | (40/661).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/08/23 09:43 |
| L2 | 8740 | ((40/650) or (40/651) or (40/649) or (40/661) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/08/23 11:01 |
| L3 | 7 | label "friction coated" | US-PGPUB | AND | OFF | 2006/08/23 11:01 |
| S1 | 232 | ((40/650) or (40/642.01)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/08/08 20:36 |
| S2 | 14 | S1 and friction | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/11 14:57 |
| S3 | 0 | "40"/\$.ccls. and friction and "weak adhesive" and label | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/11 14:58 |
| S4 | 125 | "40"/\$.ccls. and friction and adhesive and label | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/11 14:58 |
| S5 | 15 | ("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/14 09:34 |
| S6 | 0 | "friction coated label" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/14 09:48 |
| S9 | 142 | (40/650).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/02/14 09:51 |
| S10 | 23 | (40/650.ccls. or 40/642.01.ccls.) and friction | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/14 10:05 |
| S11 | 0 | "40"/\$.ccls. and "skid value" | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/14 10:05 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|-----|------------------|
| S12 | 2366 | ((40/638) or (283/81)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/02/14 11:15 |
| S13 | 60 | "friction coating" and label | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/14 11:16 |
| S14 | 4140 | ((428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/02/15 14:28 |
| S15 | 4140 | ((428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/02/15 14:28 |
| S16 | 317 | S15 and friction | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/15 14:28 |
| S17 | 76 | S15 and friction and label | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/15 14:29 |
| S18 | 10 | US-6385884-\$.DID. OR US-6385885-\$.DID. OR US-6470613-\$.DID. OR US-6519885-\$.DID. OR US-6581314-\$.DID. OR US-6632316-\$.DID. OR US-D470535-\$.DID. OR US-D470893-\$.DID. OR US-D472278-\$.DID. OR US-D475753-\$.DID. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/02/15 17:07 |
| S19 | 117 | (40/661.03).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/02/15 17:07 |
| S20 | 643 | friction with label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 15:52 |
| S21 | 201 | friction with label coating | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 15:54 |
| S22 | 16 | ("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 15:37 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|-----|-----|------------------|
| S23 | 230 | friction\$3 near3 coating label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 15:37 |
| S24 | 10 | friction\$3 near3 coating with label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 15:50 |
| S25 | 100 | friction with label holder | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 15:39 |
| S26 | 22 | friction\$3 near3 (coating OR layer) with label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 15:51 |
| S27 | 50 | label same "weak adhesive" | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 15:59 |
| S28 | 12 | low near2 strength near2 adhesive with label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 16:00 |
| S29 | 66 | removable near2 label same holder | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 16:01 |
| S30 | 40 | removable near2 label same holder adhesive | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 16:01 |
| S31 | 24 | ("3452954" "3625464" "4319731" "4619428" "4995182" "5339967" "5346166" "5415370" "5636937" "5678699" "5678795" "5683003" "5722625" "5887731" "5908119" "6082687").PN. OR ("6341755").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 16:07 |
| S32 | 23 | post-it same label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 16:10 |
| S33 | 76 | 40/661\$.ccls. adhesive same removable | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:11 |
| S34 | 0 | ("2001/0047604").URPN. | USPAT | AND | OFF | 2005/08/08 16:41 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|-----|------------------|
| S35 | 40 | ("2563340" "3575788" "3735515" "3912084" "4250642" "4452360" "4589685" "4718626" "4783033" "4787159" "4805861" "4850557" "4882868" "4900604" "4976058" "4987692" "5120941" "5135261" "5231779" "5236163" "5248536" "5261175" "5269691" "5299834" "5325616" "5343647" "5417790" "5421113" "5428914" "5464681" "5597634" "5628858" "5639125" "5672402" "5704650" "5728469" "5792296" "6145231").PN. OR ("6519885").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 16:58 |
| S36 | 80 | high adj2 friction label holder | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 19:07 |
| S37 | 127 | high adj friction label (holder or channel) | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 19:08 |
| S38 | 44 | high adj friction coating label (holder or channel) | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 19:09 |
| S39 | 3 | high adj friction with label with coating | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 19:10 |
| S40 | 14 | high adj friction with label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/08/08 19:10 |
| S41 | 89 | 40/661\$.ccls. friction | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:12 |
| S42 | 4529 | 40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls. friction with coating | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:13 |

EAST Search History

| | | | | | | |
|-----|------|---|----------------------------------|-----|-----|------------------|
| S43 | 4512 | 40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls. high adj friction with coating | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:14 |
| S44 | 4 | (40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) high adj friction with coating | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:14 |
| S45 | 5 | (40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) friction with coating with label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:15 |
| S46 | 40 | (40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) friction with label | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:40 |
| S47 | 2 | US-840072-\$.DID. OR US-1103957-\$.DID. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:41 |
| S48 | 4 | US-0840072-\$.DID. OR US-1103957-\$.DID. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/08/08 19:41 |
| S49 | 6728 | ((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/07 18:01 |
| S50 | 94 | label adj3 friction | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/11/04 08:45 |
| S51 | 1684 | 40/642.01.ccls. 40/649.ccls. 40/661.ccls. 40/661.03.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2005/11/04 08:46 |
| S52 | 358 | S51 adhesive | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/04 08:47 |
| S53 | 42 | S51 adhesive slide | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/04 08:47 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|-----|-----|------------------|
| S54 | 24 | S51 adhesive slide label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/04 08:47 |
| S55 | 0 | ("2001/0047604").URPN. | USPAT | AND | OFF | 2005/11/04 08:52 |
| S56 | 40 | ("2563340" "3575788" "3735515" "3912084" "4250642" "4452360" "4589685" "4718626" "4783033" "4787159" "4805861" "4850557" "4882868" "4900604" "4976058" "4987692" "5120941" "5135261" "5231779" "5236163" "5248536" "5261175" "5269691" "5299834" "5325616" "5343647" "5417790" "5421113" "5428914" "5464681" "5597634" "5628858" "5639125" "5672402" "5704650" "5728469" "5792296" "6145231").PN. OR ("6519885").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/04 08:52 |
| S57 | 117 | "40"/\$.ccls. skid | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:27 |
| S58 | 299 | label with varnish | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:28 |
| S59 | 17 | label with varnish same (slip or skid or slide) | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:36 |
| S60 | 44 | label "low-tack adhesive" | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:39 |
| S61 | 1 | us-5070966-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:39 |
| S62 | 8 | ("4093865" "4713532" "4766298" "4794240" "4799164").PN. OR ("5070966"). URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/07 14:41 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|-----|------------------|
| S63 | 0 | "transparent holder" "friction coating" | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/07 14:42 |
| S64 | 1 | "transparent holder" (non-slip or anti-slip or non-skid or anti-skid) | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/07 14:42 |
| S65 | 17 | "price channel" friction | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/07 14:43 |
| S66 | 17 | ("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307").URPN. | US-PGPUB; USPAT; USOCR | AND | OFF | 2005/11/07 14:52 |
| S67 | 967 | (40/618).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/07 14:52 |
| S68 | 11 | S67 friction | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2005/11/07 14:52 |
| S69 | 6849 | ((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/02/21 16:44 |
| S70 | 222 | "40"/\$.ccls. label friction | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 12:38 |
| S71 | 15 | "40"/\$.ccls. gebka\$.inv. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 12:38 |
| S72 | 222 | "40"/\$.ccls. friction label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 14:10 |
| S73 | 1110 | ((40/649) or (40/651)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/02/18 13:36 |
| S74 | 26 | "40"/\$.ccls. ("weak adhesive" or "light adhesive") label | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 13:37 |
| S75 | 135 | "40"/\$.ccls. friction label adhesive | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 14:11 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|-----|------------------|
| S76 | 27 | "40"/\$.ccls. friction label adhesive pocket | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/18 14:11 |
| S77 | 8 | shelf label adhesive "dry bond" | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/21 16:25 |
| S78 | 1 | shelf label adhesive "dry bond" "40"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/21 16:25 |
| S79 | 5 | shelf label adhesive "rubber-based" "40"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/21 16:26 |
| S80 | 0 | shelf label adhesive temporary "rubber-based" "40"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/21 16:27 |
| S81 | 25 | shelf label adhesive temporary "40"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | OFF | 2006/02/21 16:27 |
| S82 | 6993 | ((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/08/23 10:12 |